

**MATERIAL SAFETY DATA SHEET**

MANUFACTURERS NAME AND ADDRESS:

LCE Laboratories, Inc.  
705 Oak Bluff  
Lancaster, TX 75146

Product Part #: S-005-02  
Effective Date: 9/1/99  
MSDS# S-005-02

EMERGENCY PHONE: (972) 218-9093

**SECTION I PRODUCT IDENTIFICATION**

Product Name: **AIR SUPPLY**  
Chemical Name: MIXTURE  
Chemical Family: N/A  
Chemical Formula: N/A  
C.A.S Number: NONE  
Label Requirements: D.O.T.: None D.O.T. Shipping: NONE

**SECTION II PRODUCT DESCRIPTION**

Appearance: YELLOW /ORANGE LIQUID TYPE SERUM  
PHYSICAL DATE  
Boiling Point: >212 F  
Specific Gravity: 1.0000  
Water Miscibility : 100  
Percent Volatiles at 70 F : 0  
Vapor Pressure (mm Hg.): NOT MEASURED  
Vapor Density ( Air = 1): NOT MEASURED

HAZARDOUS INGREDIENTS:  
INGREDIENTS C.A.S. HAZARD EXPOSURE LIMITS  
NONE KNOWN

**SECTION III FIRE AND EXPLOSION HAZARD DATA**

FLASH POINT/DEGREES F: NOT MEASURED TEST METHOD:  
RECOMMENDED EXTINGUISHING MEDIA  
Water: X Foam: X  
CO2 : X Other:

UNUSUAL FIRE OR EXPLOSION HAZARDS (CONDITIONS TO AVOID):  
NONE KNOWN  
SPECIAL FIRE FIGHTING PROCEDURES: NONE

**SECTION IV REACTIVITY DATA**

STABILITY UNDER NORMAL CONDITIONS  
Stable: YES

INCOMPATIBLE MATERIALS (MATERIAL TO AVOID)

None Known: X      Water:                      Acid:              Base:              Oxidizers:

HAZARDOUS PLYMERIZATION

Will Not Occure : X

May Occure (Conditions to Avoid):

#### **SECTION V                      HEALTH HAZARD DATA**

THRESHOLD LIMIT VALUE:              NOT MEASURED

EFFECTS OF OVEREXPOSURE : NONE KNOWN

EMERGENCY AND FIRST AID PROCEDURES:

EYES: IN CASE OF CONTACT , IMMEDIATELY FLUSH WITH PLENTY OF  
LOW PRESSURE WATER FOR AT LEAST 15 MINUTES .

#### **SECTION VI HANDLING PRECAUTIONS / FIRST AID RECOMMENDATIONS**

SKIN AND EYE CONTACT: FLUSH WITH PLENTY OF LOW PRESSURE WATER

FIRST AID: INCASE OF EYE CONTACT FLUSH WITH PLENTY OF WATER FOR 15 MINUTES.  
IF STINGING PRESIST , CONSULT A PHYSICIAN.

ORAL INGESTION: DO NOT SWALLOW

FIRST AID: IF LARGE AMOUNT IS SWALLOWED CONSULT A PHYSCIAN.

#### **SECTION VIII              SPILL PROCEDURE**

STEPS TO TAKE IF SPILLED : SWEEP OR MOP UP. WASH FLOOR WITH DETERGENT TO  
REMOVE ANY RESIDUE.

WASTER DISPOSAL : NOT HAZARDOUS WASTE. CONSULT A STATE AND LOCAL  
ORDINANCE FOR LARGE SPILLS.

#### **SECTION VIII SPECIAL PROTECTION INFORMATION**

VENTILATION REQUIREMENTS

General Area Exhaust

Local Area Exhaust:

Not Necessary Under Normal Use Conditions : X

PERSONAL PROTECTION EQUIPMENT RECOMMENDED FOR NORMAL USE CONDITIONS.

Eye protection Type: NONE

Skin Protection Type: NONE

Respiratory Protection Type: NONE

#### **SECTION IX SPECIAL PRECAUTIONS**

DO NOT STORE OR SHIP PRODUCT IN FREEZING CONDITIONS (AT OR BELOW 32F)  
AND DO NOT STORE OR SHIP PRODUCT IN ELEVATED TEMPERATURES ( ABOVE 100F).  
IDEAL STORAGE/SHIPPING TEMPERATURES RANGE IS BETWEEN 40 F AND 70 F.

**PAGE 3**

DO NOT STORE UNDER UNSANITARY CONDITIONS .

DO NOT INSERT UNSANITARY OBJECTS (SUCH AS DIRTY FINGERS) INTO PRODUCT.

The information supplied herein relates to the product named is based upon information  
LCE Laboratories consideres to be accurate.  
NO WARRANTY , EXPRESSED OR IMPLIED, IS INTENDED. This information is offererd solely  
for your consideration and interpretation.

Prepared By: \_\_\_\_\_  
Manuel Elizondo

Date \_\_\_\_\_